



The Soap Kitchen (2011) Ltd
Unit 8, Caddsdwn Industrial Park, Clovelly Road,
Bideford, Devon, EX39 3DX, United Kingdom

Email: enquiries@thesoapkitchen.co.uk
Call: +44 (0) 1237 420 872

Certificate of Analysis 19091815

Material: **510393**
Extrapone® Silk GW N
Customer Material Number **69005**

Batch/Lot: 10300047 25.000 KG
Storage: dry, 10 to 30°C
Date produced 17-MAY-19
Best before 06 MAY 2021

Date Page
30-SEP-2019 1 / 2
Order
32647651 / 000002
Your Order number
80653
Delivery
82901552 / 000001
Partner-No.
20130551

Characteristics	Value	Lower Limit	Upper Limit
Odour smellingstrip (pur) 0223 Odor, Smellingstrip, 100%	according to standard 1) comparable to standard		
Color / Appearance, as is 0864 Visual evaluation in sample vial	passed test		
Color 0864 Visual evaluation in sample vial	1) pale yellow to light brown		
Appearance/condition 0864 Visual evaluation in sample vial	1) clear liquid		
0001 Relative density (D25/25)	1.1041	1.0990	1.1090
0001 Relative density (D20/4)	1.1053	1.1010	1.1110
0002 Refractive index (n20/D)	1.3873	1.3820	1.3920
0002 Refractive index (n25/D)	1.3857	1.3800	1.3900
pH-value 0119 pH-value, directly	4.6	4.0	5.0

Certificate of Analysis 19091815

Characteristics	Value	Lower Limit	Upper Limit
Total aerobic count			
0478 Poured Plate	per g < 10	max.	100
Mould			
0479 Poured Plate	per g < 10	max.	10
Yeast			
0479 Poured Plate	per g < 10	max.	10
Escherichia coli			
0512 Enrichment per g	negative 1)negative		
Pseudomonas aeruginosa			
0454 Enrichment per g	negative 1)negative		
Candida albicans			
0511 Enrichment method per g	negative 1)negative		
Coag. pos. Staphylococci			
0453 Enrichment per g	negative 1)negative		
<u>For information only</u>			
Flashpoint (CC)	°C > 100 °F > 212		

Annotation:

1) Target

2) Intermittent tested. This time skipped.

The certificate does not release the user from the responsibility of undertaking his own tests of the characteristics of the product and its suitability in the intended application.

This is a computer generated certificate of analysis and is therefore not signed by hand. The positive release procedure and the stringent workflow of the computerized system ensure the same level of reliability as a handwritten signature.